

Effect W/m	48.00, 33.00, 19.20, 9.60, 24.00, 14.40, 4.80
IP rating	20
Voltage (V)	24
Lumen (interval)	3501-4500, 2001-2500, 1001-1500, 4001-5000, 2501-3000, 3001-3500, 0-1000
Light Color CCT	2000-4000, 6000, 5700, 5000, 4000, 3500, 3000, 2700, 2500, 2200, 2000

# Variationer

SKU	Effect W/m	Lumen (interval)	Light Color CCT
111324	48.00	3501-4500	2000-4000
111323	33.00	3501-4500	2000-4000
111322	19.20	2001-2500	2000-4000
111321	9.60	1001-1500	2000-4000
111266	33.00	4001-5000	6000
111265	33.00	4001-5000	5700
111264	33.00	4001-5000	5000
111246	19.20	2501-3000	6000
111245	19.20	2501-3000	5700
111244	19.20	2501-3000	5000
111243	19.20	2501-3000	4000
111242	19.20	2501-3000	3500
111241	19.20	2501-3000	3000
111240	19.20	2501-3000	2700
111263	33.00	4001-5000	4000
111262	33.00	4001-5000	3500
111261	33.00	4001-5000	3000
111260	33.00	4001-5000	2700
111259	33.00	4001-5000	2500
111258	33.00	4001-5000	2200
111257	33.00	4001-5000	2000
111256	24.00	3001-3500	6000
111255	24.00	3001-3500	5700
111254	24.00	3001-3500	5000
111253	24.00	3001-3500	4000
111252	24.00	3001-3500	3500
111251	24.00	3001-3500	3000
111239	19.20	2501-3000	2500
111238	19.20	2501-3000	2200
111237	14.40	2501-3000	2000
111236	14.40	2001-2500	6000
111235	14.40	2001-2500	5700
111234	14.40	2001-2500	5000
111233	14.40	2001-2500	4000
111232	14.40	2001-2500	3500
111231	14.40	2001-2500	3000
111230	14.40	2001-2500	2700
111229	14.40	2001-2500	2500
111250	24.00	3001-3500	2700
111249	24.00	3001-3500	2500
111248	24.00	3001-3500	2200
111247	24.00	3001-3500	2000
111216	4.80	0-1000	6000
111215	4.80	0-1000	5700
111214	4.80	0-1000	5000
111213	4.80	0-1000	4000
111212	4.80	0-1000	3500
111228	14.40	2001-2500	2200
111227	14.40	2001-2500	2000
111226	9.60	1001-1500	6000
111225	9.60	1001-1500	5700

111224	9.60	1001-1500	5000
111223	9.60	1001-1500	4000
111222	9.60	1001-1500	3500
111221	9.60	1001-1500	3000
111220	9.60	1001-1500	2700
111219	9.60	1001-1500	2500
111218	9.60	1001-1500	2200
111211	4.80	0-1000	3000
111210	4.80	0-1000	2700
111209	4.80	0-1000	2500
111208	4.80	0-1000	2200
111207	4.80	0-1000	2000
111217	9.60	1001-1500	2000