















The Tesoro Lente is a powerful track led spotlight with an optical lens, luxurious and extremely versatile. This small track spot is for use on a 3-phase track. This makes the Tesoro Lente the luminaire of choice in a retail and hospitality. Choose from several options in colour, controllability, CCT and beam angels. No wonder the elegant Tesoro is a favourite among lighting designers.

CRI	90
CCT	3000K, 2700K
Chromaticity tolerance	3 MacAdam
EIclass	Class I
Housing material	Aluminum Die Cast
IP rating	IP20
Lifetime	50000h
Light source	930 (3000K / CRI90), 927 (2700K / CRI90)
Light source identifier	L2C5-30901205F1300, L2C5-27901205F1300
Luminaire color	Black, White
Luminaire dimension	Ø70x200mm
Mains voltage	220-240V / 50-60Hz
Net weight (kg)	01.32
Nominal fV (V)	N/A
Nominal fA (mA)	N/A
Optic	Lens
Power supply	Included ON/OFF
Reflector color	N/A
System efficiency	80lm/W, 75lm/W
System power	20W
Warranty	5Y
Product tags	Phased out
Light Color CCT	3000, 2700
Power (W)	N/A

Lumen	1600lm, 1500lm
Beam angle	36°, 24°, 15°
Voltage (V)	N/A

## Variationer

SKU	CCT	Light source	Light source identifier	Luminaire color	System efficiency	Light Color CCT	Lumen	Beam angle
 602GB93036F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	Black	80lm/W	3000	1600lm	36°
 602GB92736F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	Black	75lm/W	2700	1500lm	36°
 602GW93036F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	White	80lm/W	3000	1600lm	36°
 602GW92736F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	White	75lm/W	2700	1500lm	36°
 602GB93024F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	Black	80lm/W	3000	1600lm	24°
 602GB92724F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	Black	75lm/W	2700	1500lm	24°
 602GW93024F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	White	80lm/W	3000	1600lm	24°
 602GW92724F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	White	75lm/W	2700	1500lm	24°
 602GB93015F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	Black	80lm/W	3000	1600lm	15°
 602GB92715F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	Black	75lm/W	2700	1500lm	15°
 602GW93015F0	3000K	930 (3000K / CRI90)	L2C5-30901205F1300	White	80lm/W	3000	1600lm	15°
 602GW92715F0	2700K	927 (2700K / CRI90)	L2C5-27901205F1300	White	75lm/W	2700	1500lm	15°