



The Piazza Lente is an adjustable led downlight. The square shape makes it ideal for use in modern architecture. The spot can be rotated 350°, available with three types of optical lenses. This makes the Karizma Luce Piazza Lente like an Italian square: lively and versatile.

CRI	90, 80
CCT	4000K, 3000K, 2700K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP43/IP20
Lifetime	50000h
Light source	940 (4000K / CRI90), 930 (3000K / CRI90), 927 (2700K / CRI90), 840 (4000K / CRI80)
Luminaire color	White, Black
Luminaire dimension	110x110x77mm
Mains voltage	N/A
Net weight (kg)	00.44
Nominal fV (V)	500mA, 350mA
Nominal fA (mA)	500mA, 350mA
Optic	Lens
Power supply	Separate Available
Reflector color	N/A
System efficiency	79lm/W, 91lm/W, 89lm/W, 111lm/W, 63lm/W, 61lm/W
System power	11.5W, 14W
Warranty	5Y
Product tags	Phased out
Light Color CCT	4000, 3000, 2700
Power (W)	9W, 12.5W
Lumen	850lm, 1280lm, 1240lm, 1550lm, 720lm, 705lm

Beam angle	60°, 36°, 22°, 40°, 30°
Voltage (V)	18.4V, 33.8-35.9V

Variationer

	SKU	CRI	CCT	Light source	Luminaire color	Nominal fV (V)	Nominal fA (mA)	System efficiency	System power	Light Color CCT	Power (W)	Lumen	Beam angle	Voltage (V)
	118DW9406000	90	4000K	940 (4000K / CRI90)	White	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	60°	18.4V
	118DW9403600	90	4000K	940 (4000K / CRI90)	White	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	36°	18.4V
	118DW9402200	90	4000K	940 (4000K / CRI90)	White	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	22°	18.4V
	118DB9406000	90	4000K	940 (4000K / CRI90)	Black	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	60°	18.4V
	118DB9403600	90	4000K	940 (4000K / CRI90)	Black	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	36°	18.4V
	118DB9402200	90	4000K	940 (4000K / CRI90)	Black	500mA	500mA	79lm/W	11.5W	4000	9W	850lm	22°	18.4V
	118FW9304000	90	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	40°	33.8-35.9V
	118EW9274000	90	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	40°	33.8-35.9V
	118GW8403000	80	4000K	840 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	30°	33.8-35.9V
	118FW9303000	90	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	30°	33.8-35.9V
	118EW9273000	90	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	30°	33.8-35.9V
	118CB9306000	90	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	60°	18.4V
	118CB9276000	90	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	60°	18.4V
	118CB9303600	90	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	36°	18.4V
	118CB9273600	90	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	36°	18.4V
	118CB9302200	90	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	22°	18.4V
	118CB9272200	90	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	22°	18.4V
	118GB8406000	80	4000K	840 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	60°	33.8-35.9V
	118FB9306000	90	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	60°	33.8-35.9V
	118EB9276000	90	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	60°	33.8-35.9V
	118GB8404000	80	4000K	840 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	40°	33.8-35.9V
	118CW9306000	90	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	60°	18.4V
	118CW9276000	90	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	60°	18.4V
	118CW9303600	90	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	36°	18.4V
	118CW9273600	90	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	36°	18.4V
	118CW9302200	90	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	3000	9W	720lm	22°	18.4V
	118CW9272200	90	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	2700	9W	705lm	22°	18.4V
	118FB9304000	90	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	40°	33.8-35.9V
	118EB9274000	90	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	40°	33.8-35.9V
	118GB8403000	80	4000K	840 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	30°	33.8-35.9V
	118FB9303000	90	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	30°	33.8-35.9V
	118EB9273000	90	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	30°	33.8-35.9V
	118GW8406000	80	4000K	840 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	60°	33.8-35.9V

	118FW9306000	90	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	3000	12.5W	1280lm	60°	33.8-35.9V
	118EW9276000	90	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	2700	12.5W	1240lm	60°	33.8-35.9V
	118GW8404000	80	4000K	840 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	4000	12.5W	1550lm	40°	33.8-35.9V