



Beautify your space with this elegant luminaire. This graceful pendant luminaire will bring a piece of art to any room. The minimalistic slim design and the smooth light created by a 30° lens combined with the light source of your choice in CRI90, will surely add charisma to your lighting project.

CRI	90
CCT	3000K, 2700K
Chromaticity tolerance	3 MacAdam
Eclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP20
Lifetime	50000h
Light source	930 (3000K / CRI90), 927 (2700K / CRI90)
Light source energy class	F
Light source identifier	BXRH-30G1000-B-73, BXRH-27G1000-B-73
Luminaire color	Black, White
Luminaire dimension	Ø30x400mm
Mains voltage	220-240V / 50-60Hz
Nominal fV (V)	N/A
Nominal fA (mA)	N/A
Optic	Lens
Power supply	Included ON/OFF
Reflector color	N/A
System efficiency	67lm/W, 63lm/W
System power	6W
Warranty	3Y
Light Color CCT	3000, 2700
Power (W)	N/A
Lumen	400lm, 380lm

Beam angle	30°
Voltage (V)	N/A

Variationer

SKU	CCT	Light source	Light source identifier	Luminaire color	System efficiency	Light Color CCT	Lumen
503BB93030F0	3000K	930 (3000K / CRI90)	BXRH-30G1000-B-73	Black	67lm/W	3000	400lm
503BW93030F0	3000K	930 (3000K / CRI90)	BXRH-30G1000-B-73	White	67lm/W	3000	400lm
503BB92730F0	2700K	927 (2700K / CRI90)	BXRH-27G1000-B-73	Black	63lm/W	2700	380lm
503BW92730F0	2700K	927 (2700K / CRI90)	BXRH-27G1000-B-73	White	63lm/W	2700	380lm