



The Doppio Lente is an adjustable led downlight with optical lenses. Double the looks, double the lighting power! This square downlight has top level looks, and so is his performance. Each light source can be controlled individually. LED€™s delight your hotel, restaurant, museum, office or home with Karizma Luce Doppio Lente.

CRI	90
CCT	4000K, 2700K, 3000K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP43/IP20
Lifetime	50000h
Light source	940 (4000K / CRI90), 927 (2700K / CRI90), 930 (3000K / CRI90)
Light source energy class	F, E
Light source identifier	BXRE-40G0800-D-73, CLU028-1202C4-403H5M3-F1, CLU028-1204C4-273H5M3-F1, CLU028-1204C4-303H5M3-F1, BXRE-30G0800-D-73, BXRE-27G0800-D-73
Luminaire color	White, Black
Luminaire dimension	220x110x77mm
Mains voltage	N/A
Net weight (kg)	01.34
Nominal fV (V)	18.4V, 33.8-35.9V
Nominal fA (mA)	500mA, 350mA
Optic	Lens
Power supply	Separate Available
Reflector color	N/A
System efficiency	74lm/W, 103lm/W, 89lm/W, 91lm/W, 63lm/W, 61lm/W
System power	2x11.5W, 2x14W
Warranty	5Y

Product tags	Phased out
Light Color CCT	4000, 2700, 3000
Power (W)	2x9W, 2x12.5W
Lumen	2x850 lm, 2x1450 lm, 2x1240 lm, 2x1280 lm, 2x720 lm, 2x705 lm

Variationer

SKU	CCT	Light source	Light source energy class	Light source identifier	Luminaire color	Nominal fV (V)	Nominal fA (mA)	System efficiency	System power	Light Color CCT	Power (W)	Lumen
 120DW9402200	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	White	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120DB9406000	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	Black	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120DB9403600	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	Black	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120DB9402200	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	Black	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120GW9406000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	White	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120GW9404000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	White	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120GW9403000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	White	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120GB9406000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	Black	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120GB9404000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	Black	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120GB9403000	4000K	940 (4000K / CRI90)	E	CLU028-1202C4-403H5M3-F1	Black	33.8-35.9V	350mA	103lm/W	2x14W	4000	2x12.5W	2x1450 lm
 120DW9406000	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	White	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120DW9403600	4000K	940 (4000K / CRI90)	F	BXRE-40G0800-D-73	White	18.4V	500mA	74lm/W	2x11.5W	4000	2x9W	2x850 lm
 120EB9273000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-F1	Black	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm
 120FW9306000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-F1	White	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm
 120EW9276000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-F1	White	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm
 120FW9304000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-F1	White	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm
 120EW9274000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-F1	White	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm
 120FW9303000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-F1	White	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm
 120EW9273000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-F1	White	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm
 120CB9306000	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	Black	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CB9276000	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	Black	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120CB9303600	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	Black	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CB9273600	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	Black	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120CB9302200	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	Black	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CB9272200	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	Black	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120CW9306000	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	White	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CW9276000	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	White	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120CW9303600	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	White	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CW9273600	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	White	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120CW9302200	3000K	930 (3000K / CRI90)	F	BXRE-30G0800-D-73	White	18.4V	500mA	63lm/W	2x11.5W	3000	2x9W	2x720 lm
 120CW9272200	2700K	927 (2700K / CRI90)	F	BXRE-27G0800-D-73	White	18.4V	500mA	61lm/W	2x11.5W	2700	2x9W	2x705 lm
 120FB9306000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-F1	Black	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm
 120EB9276000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-F1	Black	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm

	120FB9304000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-FI	Black	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm
	120EB9274000	2700K	927 (2700K / CRI90)	F	CLU028-1204C4-273H5M3-FI	Black	33.8-35.9V	350mA	89lm/W	2x14W	2700	2x12.5W	2x1240 lm
	120FB9303000	3000K	930 (3000K / CRI90)	E	CLU028-1204C4-303H5M3-FI	Black	33.8-35.9V	350mA	91lm/W	2x14W	3000	2x12.5W	2x1280 lm