



The Corsa is an adjustable led downlight, fitted with a 30°/45°/60° or 36°/45°/60° aluminium reflector. The clean design and its ability to rotate 350° makes it the perfect choice for office lighting, catering lighting, galleries and residential lighting. The Karizma Luce Corsa is up to any lighting task.

CRI	90
CCT	3000K, 2700K, 4000K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP43/IP20
Lifetime	50000h
Light source	930 (3000K / CRI90), 927 (2700K / CRI90), 940 (4000K / CRI90)
Luminaire color	Black, White
Luminaire dimension	Ø110x77mm
Mains voltage	N/A
Net weight (kg)	00.42
Optic	Reflector
Power supply	Separate Available
Reflector color	Specular Aluminium
System efficiency	91lm/W, 61lm/W, 89lm/W, 74lm/W, 103lm/W, 63lm/W
System power	14W, 11.5W
Warranty	5Y
Light Color CCT	3000, 2700, 4000
Light source energy class	E, F
Light source identifier	CLU028-1204C4-303H5M3-F1, CLU028-1204C4-273H5M3-F1, CLU028-1204C4-403H5M3-F1, BXRE-40G0800-D-73, BXRE-30G0800-D-73, BXRE-27G0800-D-73
Power (W)	12.5W, 9W

Lumen	1280lm, 705lm, 1240lm, 850lm, 1450lm, 720lm
Nominal fV (V)	350mA, 500mA
Beam angle	60°, 45°, 36°, 30°
Voltage (V)	33.8-35.9V, 18.4V
Nominal fA (mA)	350mA, 500mA

Variationer

SKU	CCT	Light source	Luminaire color	System efficiency	System power	Light Color CCT	Light source energy class	Light source identifier	Power (W)	Lumen	Nominal fV (V)	Beam angle	Voltage (V)	Nominal fA (mA)
 117FB9306000	3000K	930 (3000K / CRI90)	Black	91lm/W	14W	3000	E	CLU028-1204C4-303H5M3-F1	12.5W	1280lm	350mA	60°	33.8-35.9V	
 117CW9276000	2700K	927 (2700K / CRI90)	White	61lm/W	11.5W	2700	F	CLU028-1204C4-273H5M3-F1	9W	705lm	500mA	60°	18.4V	
 117CB9276000	2700K	927 (2700K / CRI90)	Black	61lm/W	11.5W	2700	F	CLU028-1204C4-273H5M3-F1	9W	705lm	500mA	60°	18.4V	
 117EW9276000	2700K	927 (2700K / CRI90)	White	89lm/W	14W	2700	F	CLU028-1204C4-273H5M3-F1	12.5W	1240lm	350mA	60°	33.8-35.9V	
 117EB9276000	2700K	927 (2700K / CRI90)	Black	89lm/W	14W	2700	F	CLU028-1204C4-273H5M3-F1	12.5W	1240lm	350mA	60°	33.8-35.9V	
 117DW9406000	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	E	CLU028-1204C4-403H5M3-F1	9W	850lm	500mA	60°	18.4V	
 117DB9406000	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	E	CLU028-1204C4-403H5M3-F1	9W	850lm	500mA	60°	18.4V	
 117GW9406000	4000K	940 (4000K / CRI90)	White	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	60°	33.8-35.9V	
 117GB9406000	4000K	940 (4000K / CRI90)	Black	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	60°	33.8-35.9V	
 117CW9306000	3000K	930 (3000K / CRI90)	White	63lm/W	11.5W	3000	E	CLU028-1204C4-303H5M3-F1	9W	720lm	500mA	60°	18.4V	
 117CB9306000	3000K	930 (3000K / CRI90)	Black	63lm/W	11.5W	3000	E	CLU028-1204C4-303H5M3-F1	9W	720lm	500mA	60°	18.4V	
 117FW9306000	3000K	930 (3000K / CRI90)	White	91lm/W	14W	3000	E	CLU028-1204C4-303H5M3-F1	12.5W	1280lm	350mA	60°	33.8-35.9V	
 117GW9404500	4000K	940 (4000K / CRI90)	White	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	45°	33.8-35.9V	350mA
 117GW9403600	4000K	940 (4000K / CRI90)	White	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	36°	33.8-35.9V	350mA
 117GB9404500	4000K	940 (4000K / CRI90)	Black	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	45°	33.8-35.9V	350mA
 117GB9403600	4000K	940 (4000K / CRI90)	Black	103lm/W	14W	4000	E	CLU028-1204C4-403H5M3-F1	12.5W	1450lm	350mA	36°	33.8-35.9V	350mA
 117DW9404500	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	F	BXRE-40G0800-D-73	9W	850lm	500mA	45°	18.4V	500mA
 117DW9403000	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	F	BXRE-40G0800-D-73	9W	850lm	500mA	30°	18.4V	500mA
 117DB9404500	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	F	BXRE-40G0800-D-73	9W	850lm	500mA	45°	18.4V	500mA
 117DB9403000	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	F	BXRE-40G0800-D-73	9W	850lm	500mA	30°	18.4V	500mA
 117FB9303600	3000K	930 (3000K / CRI90)	Black	91lm/W	14W	3000	E	BXRE-30G0800-D-73	12.5W	1280lm	350mA	36°	33.8-35.9V	350mA
 117EB9273600	2700K	927 (2700K / CRI90)	Black	89lm/W	14W	2700	F	BXRE-27G0800-D-73	12.5W	1240lm	350mA	36°	33.8-35.9V	350mA
 117FW9304500	3000K	930 (3000K / CRI90)	White	91lm/W	14W	3000	E	BXRE-30G0800-D-73	12.5W	1280lm	350mA	45°	33.8-35.9V	350mA
 117EW9274500	2700K	927 (2700K / CRI90)	White	89lm/W	14W	2700	F	BXRE-27G0800-D-73	12.5W	1240lm	350mA	45°	33.8-35.9V	350mA

	117FW9303600	3000K	930 (3000K / CRI90)	White	91lm/W	14W	3000	E	BXRE- 30G0800-D-73	12.5W	1280lm	350mA	36°	33.8- 35.9V	350mA
	117EW9273600	2700K	927 (2700K / CRI90)	White	89lm/W	14W	2700	F	BXRE- 27G0800-D-73	12.5W	1240lm	350mA	36°	33.8- 35.9V	350mA
	117CB9304500	3000K	930 (3000K / CRI90)	Black	63lm/W	11.5W	3000	F	BXRE- 30G0800-D-73	9W	720lm	500mA	45°	18.4V	500mA
	117CB9274500	2700K	927 (2700K / CRI90)	Black	61lm/W	11.5W	2700	F	BXRE- 27G0800-D-73	9W	705lm	500mA	45°	18.4V	500mA
	117CB9303000	3000K	930 (3000K / CRI90)	Black	63lm/W	11.5W	3000	F	BXRE- 30G0800-D-73	9W	720lm	500mA	30°	18.4V	500mA
	117CB9273000	2700K	927 (2700K / CRI90)	Black	61lm/W	11.5W	2700	F	BXRE- 27G0800-D-73	9W	705lm	500mA	30°	18.4V	500mA
	117CW9304500	3000K	930 (3000K / CRI90)	White	63lm/W	11.5W	3000	F	BXRE- 30G0800-D-73	9W	720lm	500mA	45°	18.4V	500mA
	117CW9274500	2700K	927 (2700K / CRI90)	White	61lm/W	11.5W	2700	F	BXRE- 27G0800-D-73	9W	705lm	500mA	45°	18.4V	500mA
	117CW9303000	3000K	930 (3000K / CRI90)	White	63lm/W	11.5W	3000	F	BXRE- 30G0800-D-73	9W	720lm	500mA	30°	18.4V	500mA
	117CW9273000	2700K	927 (2700K / CRI90)	White	61lm/W	11.5W	2700	F	BXRE- 27G0800-D-73	9W	705lm	500mA	30°	18.4V	500mA
	117FB9304500	3000K	930 (3000K / CRI90)	Black	91lm/W	14W	3000	E	BXRE- 30G0800-D-73	12.5W	1280lm	350mA	45°	33.8- 35.9V	350mA
	117EB9274500	2700K	927 (2700K / CRI90)	Black	89lm/W	14W	2700	F	BXRE- 27G0800-D-73	12.5W	1240lm	350mA	45°	33.8- 35.9V	350mA