




Beam angle	47°, 36°, 26°, 21°, OV, 30°, 14°, 12°, 8°
CCT	2200-4000K, 5000K, 4000K, 3500K, 3000K, 2700K, 2200K, RGBW(4000), RGBW(3000), RGBW(2700), RGB
IP rating	IP67
Luminaire color	Alu/Grey
Luminaire dimension	1501 x 45 x 56
Power supply	Separate Available
Current (mA)	700mA
Power (W)	76W
Voltage (V)/channel	27,2V/channel
Lumen	7107Lm
CRI	CRI90

Variationer

SKU	Beam angle	CCT
 410873	47°	2200-4000K
 410872	47°	5000K
 410871	47°	4000K
 410870	47°	3500K
 410869	47°	3000K
 410868	47°	2700K
 410867	47°	2200K
 410866	36°	RGBW(4000)
 410865	36°	RGBW(3000)
 410864	36°	RGBW(2700)
 410843	26°	RGBW(3000)
 410842	26°	RGBW(2700)
 410841	26°	RGB
 410840	26°	2200-4000K
 410839	26°	5000K
 410838	26°	4000K
 410837	26°	3500K
 410836	26°	3000K
 410835	26°	2700K
 410834	26°	2200K
 410833	21°	RGBW(4000)
 410832	21°	RGBW(3000)
 410888	OV	RGBW(4000)
 410887	OV	RGBW(3000)
 410863	36°	RGB
 410862	36°	2200-4000K
 410861	36°	5000K
 410860	36°	4000K
 410859	36°	3500K
 410858	36°	3000K
 410857	36°	2700K
 410856	36°	2200K
 410855	30°	RGBW(4000)
 410813	14°	2700K
 410812	14°	2200K
 410811	12°	RGBW(4000)
 410810	12°	RGBW(3000)
 410809	12°	RGBW(2700)
 410808	12°	RGB
 410807	12°	2200-4000K
 410806	12°	5000K
 410831	21°	RGBW(2700)
 410830	21°	RGB
 410829	21°	2200-4000K
 410828	21°	5000K
 410827	21°	4000K
 410826	21°	3500K
 410825	21°	3000K
 410824	21°	2700K
 410823	21°	2200K
 410822	14°	RGBW(4000)

	410821	14°	RGBW(3000)
	410820	14°	RGBW(2700)
	410886	OV	RGBW(2700)
	410885	OV	RGB
	410884	OV	2200-4000K
	410883	OV	5000K
	410882	OV	4000K
	410881	OV	3500K
	410880	OV	3000K
	410879	OV	2700K
	410878	OV	2200K
	410877	47°	RGBW(4000)
	410876	47°	RGBW(3000)
	410854	30°	RGBW(3000)
	410853	30°	RGBW(2700)
	410852	30°	RGB
	410851	30°	2200-4000K
	410850	30°	5000K
	410849	30°	4000K
	410848	30°	3500K
	410847	30°	3000K
	410846	30°	2700K
	410805	12°	4000K
	410804	12°	3500K
	410803	12°	3000K
	410802	12°	2700K
	410801	12°	2200K
	410800	8°	RGBW(4000)
	410799	8°	RGBW(3000)
	410798	8°	RGBW(2700)
	410797	8°	RGB
	410819	14°	RGB
	410818	14°	2200-4000K
	410817	14°	5000K
	410816	14°	4000K
	410815	14°	3500K
	410814	14°	3000K
	410875	47°	RGBW(2700)
	410874	47°	RGB
	410845	30°	2200K
	410844	26°	RGBW(4000)
	410796	8°	2200-4000K
	410795	8°	5000K
	410794	8°	4000K
	410793	8°	3500K
	410792	8°	3000K
	410791	8°	2700K
	410790	8°	2200K