



Beam angle	OV, 21°, 47°, 36°, 30°, 12°, 8°, 14°, 26°
CCT	RGBW(4000), RGBW(3000), RGBW(2700), RGB, 2200-4000K, 5000K, 4000K, 3500K, 3000K, 2700K, 2200K
IP rating	IP67
Luminaire color	Alu/Grey
Luminaire dimension	507 x 45 x 56
Power supply	Separate Available
Current (mA)	700mA
Power (W)	26W
Voltage (V)/channel	9,3V/channel
Lumen	2369Lm
CRI	CRI90

Variationer

SKU	Beam angle	CCT
 410690	OV	RGBW(4000)
 410689	OV	RGBW(3000)
 410688	OV	RGBW(2700)
 410687	OV	RGB
 410686	OV	2200-4000K
 410685	OV	5000K
 410684	OV	4000K
 410683	OV	3500K
 410633	21°	RGBW(2700)
 410632	21°	RGB
 410631	21°	2200-4000K
 410630	21°	5000K
 410629	21°	4000K
 410628	21°	3500K
 410627	21°	3000K
 410626	21°	2700K
 410682	OV	3000K
 410681	OV	2700K
 410680	OV	2200K
 410679	47°	RGBW(4000)
 410678	47°	RGBW(3000)
 410677	47°	RGBW(2700)
 410676	47°	RGB
 410675	47°	2200-4000K
 410674	47°	5000K
 410663	36°	5000K
 410662	36°	4000K
 410661	36°	3500K
 410660	36°	3000K
 410659	36°	2700K
 410658	36°	2200K
 410657	30°	RGBW(4000)
 410656	30°	RGBW(3000)
 410655	30°	RGBW(2700)
 410654	30°	RGB
 410653	30°	2200-4000K
 410652	30°	5000K
 410603	12°	2200K
 410602	8°	RGBW(4000)
 410601	8°	RGBW(3000)
 410600	8°	RGBW(2700)
 410599	8°	RGB
 410598	8°	2200-4000K
 410597	8°	5000K
 410596	8°	4000K
 410625	21°	2200K
 410624	14°	RGBW(4000)
 410623	14°	RGBW(3000)
 410622	14°	RGBW(2700)
 410621	14°	RGB
 410620	14°	2200-4000K

	410619	14°	5000K
	410618	14°	4000K
	410617	14°	3500K
	410616	14°	3000K
	410615	14°	2700K
	410614	14°	2200K
	410613	12°	RGBW(4000)
	410612	12°	RGBW(3000)
	410673	47°	4000K
	410672	47°	3500K
	410671	47°	3000K
	410670	47°	2700K
	410669	47°	2200K
	410668	36°	RGBW(4000)
	410667	36°	RGBW(3000)
	410666	36°	RGBW(2700)
	410665	36°	RGB
	410651	30°	4000K
	410650	30°	3500K
	410649	30°	3000K
	410648	30°	2700K
	410647	30°	2200K
	410646	26°	RGBW(4000)
	410645	26°	RGBW(3000)
	410644	26°	RGBW(2700)
	410643	26°	RGB
	410642	26°	2200-4000K
	410641	26°	5000K
	410640	26°	4000K
	410595	8°	3500K
	410594	8°	3000K
	410593	8°	2700K
	410592	8°	2200K
	410611	12°	RGBW(2700)
	410610	12°	RGB
	410609	12°	2200-4000K
	410608	12°	5000K
	410607	12°	4000K
	410606	12°	3500K
	410605	12°	3000K
	410604	12°	2700K
	410664	36°	2200-4000K
	410639	26°	3500K
	410638	26°	3000K
	410637	26°	2700K
	410636	26°	2200K
	410635	21°	RGBW(4000)
	410634	21°	RGBW(3000)