

Power W/m	2.40, 48.00, 33.00, 19.20, 9.60, 24.00, 14.40, 4.80
IP rating	20
Voltage (V)	24
Lumen (interval)	0-1000, 4001-5000, 3501-4000, 2001-2500, 1001-1500, 3501-4500, 3001-3500, 2501-3000
Light Color CCT	3000, 2700-4000, 6500, 5700, 5000, 4000, 3500, 2700, 2500, 2200

Variationer

SKU	Power W/m	Lumen (interval)	Light Color CCT
111330	2.40	0-1000	3000
111328	48.00	4001-5000	2700-4000
111327	33.00	3501-4000	2700-4000
111326	19.20	2001-2500	2700-4000
111325	9.60	1001-1500	2700-4000
111320	33.00	3501-4500	6500
111319	33.00	3501-4500	5700
111318	33.00	3501-4500	5000
111317	33.00	3501-4500	4000
111316	33.00	3501-4500	3500
111315	33.00	3501-4500	3000
111314	33.00	3501-4500	2700
111313	33.00	3501-4500	2500
111312	33.00	3501-4500	2200
111311	24.00	3001-3500	6500
111310	24.00	3001-3500	5700
111309	24.00	3001-3500	5000
111308	24.00	3001-3500	4000
111307	24.00	3001-3500	3500
111306	24.00	3001-3500	3000
111305	24.00	3001-3500	2700
111304	24.00	3001-3500	2500
111303	24.00	3001-3500	2200
111302	19.20	2501-3000	6500
111301	19.20	2501-3000	5700
111300	19.20	2501-3000	5000
111299	19.20	2501-3000	4000
111298	19.20	2501-3000	3500
111297	19.20	2501-3000	3000
111296	19.20	2501-3000	2700
111295	19.20	2501-3000	2500
111294	19.20	2501-3000	2200
111293	14.40	2001-2500	6500
111292	14.40	2001-2500	5700
111291	14.40	2001-2500	5000
111290	14.40	2001-2500	4000
111289	14.40	2001-2500	3500
111288	14.40	2001-2500	3000
111287	14.40	2001-2500	2700
111286	14.40	2001-2500	2500
111285	14.40	2001-2500	2200
111284	9.60	1001-1500	6500
111283	9.60	1001-1500	5700
111282	9.60	1001-1500	5000
111281	9.60	1001-1500	4000
111280	9.60	1001-1500	3500
111279	9.60	1001-1500	3000
111278	9.60	1001-1500	2700
111277	9.60	1001-1500	2500
111276	9.60	1001-1500	2200
111275	4.80	0-1000	6500

111274	4.80	0-1000	5700
111273	4.80	0-1000	5000
111272	4.80	0-1000	4000
111271	4.80	0-1000	3500
111270	4.80	0-1000	3000
111269	4.80	0-1000	2700
111268	4.80	0-1000	2500
111267	4.80	0-1000	2200