



This luminaire provides the best combination of accent and task lighting with the highest CRI, tunable white or different CCT possibilities, and dimming. The high IP rating for wet environments makes it a splendid waterproof lighting choice for luxurious areas in and around the house. Unwind in your ultimate bathroom or relax under the canopy.

CRI	90
CCT	4000K, 3000K, 2700K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP54/IP20
Lifetime	50000h
Light source	940 (4000K / CRI90), 930 (3000K / CRI90), 927 (2700K / CRI90)
Luminaire color	Black, White
Luminaire dimension	Ø85x59mm
Mains voltage	N/A
Net weight (kg)	00.22
Nominal fV (V)	500mA
Nominal fA (mA)	500mA
Optic	Lens
Power supply	Separate Available
Reflector color	N/A
System efficiency	74lm/W, 65lm/W, 64lm/W
System power	11.5W, 11W
Power (W)	9W
Warranty	5Y
Light Color CCT	4000, 3000, 2700
Lumen	850lm, 720lm, 705lm
Beam angle	60°, 36°, 22°

Voltage (V)	18.4V
-------------	-------

Variationer

SKU	CCT	Light source	Luminaire color	System efficiency	System power	Light Color CCT	Lumen	Beam angle
 208DB9406000	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	850lm	60°
 208DB9403600	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	850lm	36°
 208DB9402200	4000K	940 (4000K / CRI90)	Black	74lm/W	11.5W	4000	850lm	22°
 208DW9406000	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	850lm	60°
 208DW9403600	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	850lm	36°
 208DW9402200	4000K	940 (4000K / CRI90)	White	74lm/W	11.5W	4000	850lm	22°
 208CB9306000	3000K	930 (3000K / CRI90)	Black	65lm/W	11W	3000	720lm	60°
 208CB9276000	2700K	927 (2700K / CRI90)	Black	64lm/W	11W	2700	705lm	60°
 208CB9303600	3000K	930 (3000K / CRI90)	Black	65lm/W	11W	3000	720lm	36°
 208CB9273600	2700K	927 (2700K / CRI90)	Black	64lm/W	11W	2700	705lm	36°
 208CB9302200	3000K	930 (3000K / CRI90)	Black	65lm/W	11W	3000	720lm	22°
 208CB9272200	2700K	927 (2700K / CRI90)	Black	64lm/W	11W	2700	705lm	22°
 208CW9306000	3000K	930 (3000K / CRI90)	White	65lm/W	11W	3000	720lm	60°
 208CW9276000	2700K	927 (2700K / CRI90)	White	64lm/W	11W	2700	705lm	60°
 208CW9303600	3000K	930 (3000K / CRI90)	White	65lm/W	11W	3000	720lm	36°
 208CW9273600	2700K	927 (2700K / CRI90)	White	64lm/W	11W	2700	705lm	36°
 208CW9302200	3000K	930 (3000K / CRI90)	White	65lm/W	11W	3000	720lm	22°
 208CW9272200	2700K	927 (2700K / CRI90)	White	64lm/W	11W	2700	705lm	22°