



The Tesoro is a track led spotlight, luxurious and extremely versatile. This small LED track spot is for use on a 3-phase rail. This makes the Karizma Luce Tesoro the luminaire of choice in a retail environment. Choose from several options in colour, controllability, CCT and beam angles. No wonder the elegant Tesoro is a favourite among lighting designers.

|                           |                                                                                                                     |
|---------------------------|---------------------------------------------------------------------------------------------------------------------|
| CRI                       | 90                                                                                                                  |
| CCT                       | 2700K, 4000K, 3000K                                                                                                 |
| Chromaticity tolerance    | 3 MacAdam                                                                                                           |
| Elclass                   | Class I                                                                                                             |
| Housing material          | Aluminum Die Cast                                                                                                   |
| IP rating                 | IP20                                                                                                                |
| Lifetime                  | 50000h                                                                                                              |
| Light source              | 927 (2700K / CRI90), 940 (4000K / CRI90), 930 (3000K / CRI90)                                                       |
| Light source energy class | E                                                                                                                   |
| Light source identifier   | BXRE-27G20FH-B-83, BXRE-40G20FH-B-83, BXRE-30G20FH-B-83, L2C5-40901205FI300, L2C5-30901205FI300, L2C5-27901205FI300 |
| Luminaire color           | Black, White                                                                                                        |
| Luminaire dimension       | Ø70x180mm                                                                                                           |
| Mains voltage             | 220-240V / 50-60Hz                                                                                                  |
| Net weight (kg)           | 01.32                                                                                                               |
| Nominal fV (V)            | N/A                                                                                                                 |
| Nominal fA (mA)           | N/A                                                                                                                 |
| Optic                     | Reflector                                                                                                           |
| Power supply              | Included ON/OFF                                                                                                     |
| Reflector color           | Specular Aluminium                                                                                                  |
| System efficiency         | 100lm/W, 110.5lm/W, 105lm/W, 95lm/W, 87lm/W, 82lm/W                                                                 |
| System power              | 19W                                                                                                                 |
| Power (W)                 | N/A                                                                                                                 |
| Warranty                  | 5Y                                                                                                                  |

|                 |                                                      |
|-----------------|------------------------------------------------------|
| Light Color CCT | 2700, 4000, 3000                                     |
| Lumen           | 1900 lm, 2100 lm, 2000 lm, 1800 lm, 1650 lm, 1550 lm |

Variationer

| SKU                                                                                             | CCT   | Light source        | Light source identifier | Luminaire color | System efficiency | Light Color CCT | Lumen   |
|-------------------------------------------------------------------------------------------------|-------|---------------------|-------------------------|-----------------|-------------------|-----------------|---------|
|  6032GB92730F0  | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | Black           | 100lm/W           | 2700            | 1900 lm |
|  6032GB92720F0  | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | Black           | 100lm/W           | 2700            | 1900 lm |
|  6032HW94045F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | White           | 110.5lm/W         | 4000            | 2100 lm |
|  6032HW94030F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | White           | 110.5lm/W         | 4000            | 2100 lm |
|  6032HW94020F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | White           | 110.5lm/W         | 4000            | 2100 lm |
|  6032HB94045F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | Black           | 110.5lm/W         | 4000            | 2100 lm |
|  6032HB94030F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | Black           | 110.5lm/W         | 4000            | 2100 lm |
|  6032HB94020F0  | 4000K | 940 (4000K / CRI90) | BXRE-40G20FH-B-83       | Black           | 110.5lm/W         | 4000            | 2100 lm |
|  6032GW93045F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | White           | 105lm/W           | 3000            | 2000 lm |
|  6032GW93030F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | White           | 105lm/W           | 3000            | 2000 lm |
|  6032GW93020F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | White           | 105lm/W           | 3000            | 2000 lm |
|  6032GW92745F0  | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | White           | 100lm/W           | 2700            | 1900 lm |
|  6032GW92730F0  | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | White           | 100lm/W           | 2700            | 1900 lm |
|  6032GW92720F0  | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | White           | 100lm/W           | 2700            | 1900 lm |
|  6032GB93045F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | Black           | 105lm/W           | 3000            | 2000 lm |
|  6032GB93030F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | Black           | 105lm/W           | 3000            | 2000 lm |
|  6032GB93020F0  | 3000K | 930 (3000K / CRI90) | BXRE-30G20FH-B-83       | Black           | 105lm/W           | 3000            | 2000 lm |
|  6032GB92745F0 | 2700K | 927 (2700K / CRI90) | BXRE-27G20FH-B-83       | Black           | 100lm/W           | 2700            | 1900 lm |
|  603HB94030F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | Black           | 95lm/W            | 4000            | 1800 lm |
|  603HB94020F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | Black           | 95lm/W            | 4000            | 1800 lm |
|  603HW94045F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | White           | 95lm/W            | 4000            | 1800 lm |
|  603HW94030F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | White           | 95lm/W            | 4000            | 1800 lm |
|  603HW94020F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | White           | 95lm/W            | 4000            | 1800 lm |
|  603GB93045F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | Black           | 87lm/W            | 3000            | 1650 lm |
|  603GB93030F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | Black           | 87lm/W            | 3000            | 1650 lm |
|  603GB93020F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | Black           | 87lm/W            | 3000            | 1650 lm |
|  603GW93045F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | White           | 87lm/W            | 3000            | 1650 lm |
|  603GW93030F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | White           | 87lm/W            | 3000            | 1650 lm |
|  603GW93020F0 | 3000K | 930 (3000K / CRI90) | L2C5-30901205F1300      | White           | 87lm/W            | 3000            | 1650 lm |
|  603GB92745F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | Black           | 82lm/W            | 2700            | 1550 lm |
|  603GB92730F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | Black           | 82lm/W            | 2700            | 1550 lm |
|  603GB92720F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | Black           | 82lm/W            | 2700            | 1550 lm |
|  603GW92745F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | White           | 82lm/W            | 2700            | 1550 lm |
|  603GW92730F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | White           | 82lm/W            | 2700            | 1550 lm |
|  603GW92720F0 | 2700K | 927 (2700K / CRI90) | L2C5-27901205F1300      | White           | 82lm/W            | 2700            | 1550 lm |
|  603HB94045F0 | 4000K | 940 (4000K / CRI90) | L2C5-40901205F1300      | Black           | 95lm/W            | 4000            | 1800 lm |