



The Piazza is an adjustable led downlight. Besides his stylish square looks, also his versatility is striking. The Karizma Luce Piazza can be ordered with a 30°/45°/60° or 36°/45°/60° aluminium reflector and is 350° rotatable. This takes ambient lighting to another level.

CRI	90
CCT	4000K, 2700K, 3000K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP43/IP20
Lifetime	50000h
Light source	940 (4000K / CRI80), 927 (2700K / CRI90), 930 (3000K / CRI90), 840 (4000K / CRI80), 940 (4000K / CRI90)
Luminaire color	White, Black
Luminaire dimension	110x110x77mm
Mains voltage	N/A
Net weight (kg)	00.44
Nominal fV (V)	500mA, 350mA
Nominal fA (mA)	500mA, 350mA
Optic	Reflector
Power supply	Separate Available
Reflector color	Specular Aluminium
System efficiency	111lm/W, 89lm/W, 63lm/W, 91lm/W, 61lm/W, 79lm/W
System power	11.5W, 14W
Power (W)	9W, 12.5W
Warranty	5Y
Light Color CCT	4000, 2700, 3000
Lumen	850lm, 1450lm, 1240lm, 720lm, 1280lm, 705lm, 1550lm
Beam angle	60°, 36°, 45°, 30°

Voltage (V)	18.4V, 33.8-35.9V
Light source energy class	F
Light source identifier	BXRE-40G0800-D-73, BXRE-27G0800-D-73, BXRE-30G0800-D-73

Variationer

SKU	CCT	Light source	Luminaire color	Nominal fV (V)	Nominal fA (mA)	System efficiency	System power	Power (W)	Light Color CCT	Lumen	Beam angle	Voltage (V)	Light source identifier
 119DW9406000	4000K	940 (4000K / CRI80)	White	500mA	500mA	111lm/W	11.5W	9W	4000	850lm	60°	18.4V	
 119DB9406000	4000K	940 (4000K / CRI80)	Black	500mA	500mA	111lm/W	11.5W	9W	4000	850lm	60°	18.4V	
 119GW9406000	4000K	940 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	12.5W	4000	1450lm	60°	33.8-35.9V	
 119GB9406000	4000K	940 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	12.5W	4000	1450lm	60°	33.8-35.9V	
 119EB9276000	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	60°	33.8-35.9V	
 119CW9306000	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	60°	18.4V	
 119CB9306000	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	60°	18.4V	
 119FW9306000	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	60°	33.8-35.9V	
 119FB9306000	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	60°	33.8-35.9V	
 119CW9276000	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	60°	18.4V	
 119CB9276000	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	60°	18.4V	
 119EW9276000	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	60°	33.8-35.9V	
 119GW9403600	4000K	840 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	12.5W	4000	1550lm	36°	33.8-35.9V	
 119GB9404500	4000K	840 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	12.5W	4000	1550lm	45°	33.8-35.9V	
 119GB9403600	4000K	840 (4000K / CRI80)	Black	350mA	350mA	111lm/W	14W	12.5W	4000	1550lm	36°	33.8-35.9V	
 119DW9404500	4000K	940 (4000K / CRI90)	White	500mA	500mA	79lm/W	11.5W	9W	4000	850lm	45°	18.4V	BXRE-40G0800-D-73
 119DW9403000	4000K	940 (4000K / CRI90)	White	500mA	500mA	79lm/W	11.5W	9W	4000	850lm	30°	18.4V	BXRE-40G0800-D-73
 119DB9404500	4000K	940 (4000K / CRI90)	Black	500mA	500mA	79lm/W	11.5W	9W	4000	850lm	45°	18.4V	BXRE-40G0800-D-73
 119DB9403000	4000K	940 (4000K / CRI90)	Black	500mA	500mA	79lm/W	11.5W	9W	4000	850lm	30°	18.4V	BXRE-40G0800-D-73
 119GW9404500	4000K	840 (4000K / CRI80)	White	350mA	350mA	111lm/W	14W	12.5W	4000	1550lm	45°	33.8-35.9V	
 119CW9274500	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	45°	18.4V	BXRE-27G0800-D-73
 119CW9303000	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	30°	18.4V	BXRE-30G0800-D-73
 119CW9273000	2700K	927 (2700K / CRI90)	White	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	30°	18.4V	BXRE-27G0800-D-73
 119FB9304500	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	45°	33.8-35.9V	
 119EB9274500	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	45°	33.8-35.9V	
 119FB9303600	3000K	930 (3000K / CRI90)	Black	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	36°	33.8-35.9V	
 119EB9273600	2700K	927 (2700K / CRI90)	Black	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	36°	33.8-35.9V	
 119FW9304500	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	45°	33.8-35.9V	
 119EW9274500	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	45°	33.8-35.9V	
 119FW9303600	3000K	930 (3000K / CRI90)	White	350mA	350mA	91lm/W	14W	12.5W	3000	1280lm	36°	33.8-35.9V	
 119EW9273600	2700K	927 (2700K / CRI90)	White	350mA	350mA	89lm/W	14W	12.5W	2700	1240lm	36°	33.8-35.9V	
 119CB9304500	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	45°	18.4V	BXRE-30G0800-D-73
 119CB9274500	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	45°	18.4V	BXRE-27G0800-D-73

	119CB9303000	3000K	930 (3000K / CRI90)	Black	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	30°	18.4V	BXRE-30G0800-D-73
	119CB9273000	2700K	927 (2700K / CRI90)	Black	500mA	500mA	61lm/W	11.5W	9W	2700	705lm	30°	18.4V	BXRE-27G0800-D-73
	119CW9304500	3000K	930 (3000K / CRI90)	White	500mA	500mA	63lm/W	11.5W	9W	3000	720lm	45°	18.4V	BXRE-30G0800-D-73