



The Popolare is an adjustable led downlight. it's one of the most popular recessed downlights from our portfolio, mainly due to its variability: different beam angles, tiltable up to 20°. The Karizma Luce Popolare has a dim to warm option for comfortable relaxing light, which makes it perfect for hospitality lighting and residential lighting.

CRI	90
CCT	4000K, 3000K, 2700K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP43/IP20
Lifetime	50000h
Light source	940 (4000K / CRI90), 930 (3000K / CRI90), 927 (2700K / CRI90)
Light source energy class	F
Light source identifier	BXRE-40G0800-D-73, BXRE-30G0800-D-73, BXRE-27G0800-D-73
Luminaire color	White, Black
Luminaire dimension	Ø105x83mm
Mains voltage	N/A
Net weight (kg)	0.2
Nominal fV (V)	500mA
Nominal fA (mA)	500mA
Optic	Reflector
Power supply	Separate Available
Reflector color	Specular Aluminium
System efficiency	74lm/W, 63lm/W, 61lm/W
System power	11.5W
Power (W)	9W
Warranty	5Y
Light Color CCT	4000, 3000, 2700

Lumen	850lm, 720lm, 705lm
Beam angle	60°, 45°, 30°
Voltage (V)	18.4V

Variationer

SKU	CCT	Light source	Light source identifier	Luminaire color	System efficiency	Light Color CCT	Lumen	Beam angle
 109DW9406000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	White	74lm/W	4000	850lm	60°
 109DB9406000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	Black	74lm/W	4000	850lm	60°
 109CW9306000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	White	63lm/W	3000	720lm	60°
 109CB9306000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	Black	63lm/W	3000	720lm	60°
 109CW9276000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	White	61lm/W	2700	705lm	60°
 109CB9276000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	Black	61lm/W	2700	705lm	60°
 109DW9404500	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	White	74lm/W	4000	850lm	45°
 109DW9403000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	White	74lm/W	4000	850lm	30°
 109DB9404500	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	Black	74lm/W	4000	850lm	45°
 109DB9403000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	Black	74lm/W	4000	850lm	30°
 109CB9304500	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	Black	63lm/W	3000	720lm	45°
 109CB9274500	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	Black	61lm/W	2700	705lm	45°
 109CB9303000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	Black	63lm/W	3000	720lm	30°
 109CB9273000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	Black	61lm/W	2700	705lm	30°
 109CW9304500	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	White	63lm/W	3000	720lm	45°
 109CW9274500	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	White	61lm/W	2700	705lm	45°
 109CW9303000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	White	63lm/W	3000	720lm	30°
 109CW9273000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	White	61lm/W	2700	705lm	30°