



The Dimora is an adjustable led downlight. Choose a 24°, 36° or 44° aluminium reflector and create a lighting experience that enchants visitors over and over again. The Karizma Luce Dimora fits perfectly in any residential lighting project: in the kitchen, living, bedroom or entrance.

CRI	90
CCT	4000K, 2700K, 3000K
Chromaticity tolerance	3 MacAdam
Elclass	Class II
Housing material	Aluminum Die Cast
IP rating	IP44/IP20
Lifetime	50000h
Light source	940 (4000K / CRI90), 927 (2700K / CRI90), 930 (3000K / CRI90)
Light source energy class	F
Light source identifier	BXRE-40G0800-D-73, BXRE-27G0800-D-73, BXRE-30G0800-D-73
Luminaire color	White, Black
Luminaire dimension	Ø80x59mm
Mains voltage	N/A
Net weight (kg)	00.16
Nominal fV (V)	500mA
Nominal fA (mA)	500mA
Optic	Reflector
Power supply	Separate Available
Reflector color	Specular Aluminium
System efficiency	79lm/W, 61lm/W, 63lm/W
System power	11.5W
Power (W)	9W
Warranty	5Y
Product tags	IP44

Light Color CCT	4000, 2700, 3000
Lumen	850lm, 705lm, 720lm
Beam angle	40°, 24°
Voltage (V)	18.4V

Variationer

SKU	CCT	Light source	Light source identifier	Luminaire color	System efficiency	Light Color CCT	Lumen	Beam angle
 112DW9404000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	White	79lm/W	4000	850lm	40°
 112DW9402400	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	White	79lm/W	4000	850lm	24°
 112DB9404000	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	Black	79lm/W	4000	850lm	40°
 112DB9402400	4000K	940 (4000K / CRI90)	BXRE-40G0800-D-73	Black	79lm/W	4000	850lm	24°
 112CB9274000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	Black	61lm/W	2700	705lm	40°
 112CB9302400	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	Black	63lm/W	3000	720lm	24°
 112CB9272400	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	Black	61lm/W	2700	705lm	24°
 112CW9304000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	White	63lm/W	3000	720lm	40°
 112CW9274000	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	White	61lm/W	2700	705lm	40°
 112CW9302400	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	White	63lm/W	3000	720lm	24°
 112CW9272400	2700K	927 (2700K / CRI90)	BXRE-27G0800-D-73	White	61lm/W	2700	705lm	24°
 112CB9304000	3000K	930 (3000K / CRI90)	BXRE-30G0800-D-73	Black	63lm/W	3000	720lm	40°